

°fool moon

People have always been fascinated by the light of a perfect circle. The returning full moon and the natural phenomena ascribed to it (higher childbirth percentage, fertility, transformation from human to animal, etc.), the archetypical form of a UFO, the shape of a gong, the sun... are but a few striking examples. Despite its shape of a full circle ('full moon'), the lamp can be used in several positions: horizontally, diagonally, obliquely or vertically ('fool moon'). Thanks to its large dimensions, the lamp is easily recognisable and has the possibility of demarcating or creating spaces. The lamp also has a highly symbolic value due to its imposed abstraction.

Design by Bart Lens








°fool moon wall 1 / Mendeli Street Hotel, Tel-Aviv - ST-OR - lighting designer Ailon Gavish, Studio Twilight - photograph by Omri Amsalem



°fool moon wall 1 / Christian Puglisi's restaurant BÆST, Copenhagen - architect Fobsi Studio



°fool moon wall 1 & 2 / Office hall, Hasselt - architect Lens°ass



°fool moon wall 2 / Depoortere, Hasselt - architect Lens°ass - photograph by Bieke Claessens






°fool moon medium / Maison Bettant, Paris - architect Mona LISA - Christophe Millet - photograph by Five 5 Star - light design Inédit




°fool moon small / Villa Brockmans - D&A Architecten - photograph by Natuursteenbedrijf Tuytelaers



*fool moon small / Dell'anno - architect Lens°ass - photograph by L.Descamps




*fool moon large




FM.L.355.000	3 x PL 55W, 3000K
FM.L.355.10V	3 x PL 55W dimmable 1-10V, 3000K
FM.L.355.DAL	3 x PL 55W dimmable DALI, 3000K
FM.L.355.RGB.DMX	3 x PL 55W + RGB LED - DMX controllable
FM.L.355.RGB.DAL	3 x PL 55W + RGB LED - DALI controllable
FM.L.355.RGB.M	3 x PL 55W + RGB LED - master with remote control
FM.L.355.RGB.S	3 x PL 55W + RGB LED - slave (master required)

*fool moon medium



FM.M.324.000	3 x PL 24W, 3000K
FM.M.324.10V	3 x PL 24W dimmable 1-10V, 3000K
FM.M.000.RGB.DMX	RGB LED DMX controllable
FM.M.000.RGB.DAL	RGB LED DALI controllable
FM.M.000.RGB.M	RGB LED - master with remote control
FM.M.000.RGB.S	RGB LED - slave (master required)

*fool moon small



FM.S.3LED.000	3 x led 5W, E14 socket, phase-cut dimmable, 2700K
FM.S.RGB.DMX	RGB LED DMX controllable, driver remote (in ceiling)
FM.S.RGB.DAL	RGB LED DALI controllable, driver remote (in ceiling)
FM.S.RGB.M	RGB LED - master with remote control
FM.S.RGB.S	RGB LED - slave (master required)

material: PE - weight L: 33 kg - 1164 oz - weight M: 20 kg - 705 oz - weight S: 3 kg - 105 oz

FM large max. 200W - FM medium max. 72W - FM small max. 15W - 230VAC

included: 2 m cable, ceiling rose and suspension elements