

Home 401



SERIES > (/EN/PRODUCTS/CATALOGUE/SERIES/HOME-OUTDOOR/)

## **Publications**



## **RZB HOME**

> German, English - RZB Home (/fileadmin/assets/publications/pub\_pdf/KATP189\_Home-und-Garten.pdf)

Housing: pressure die-cast aluminium, powder-coated. With light emission diffuser plastic (polycarbonate) clear. With integrated movement sensor (PIR) and daylight sensor. Solar module for LED with lithium battery. Charging time: at least 6-8 hours at daylight (depending on the place of installation, solar radiation and season). Operating time: 2,5 - 3 hours max. (100 % light output), 20 - 25 hours max. (10 % light output from dusk to dawn), 12 - 15 hours max. (changing light output, light output rises up to 100 % for a duration of 45 seconds when a motion is detected, afterwards it drops down to 10 %). With plastic ground spike.

## **T** FILTER ARTICLES

Order <b>≑</b> Number	<b>♦</b> Dimensions	<b>‡</b> Lamp	Light <b>≑</b> colour	Rated luminous \$ flux	
612154.0031.19	L 140, B 140, H 340	LED	830	50 lm	

(/en/products/catalogue/612154.0031.19/)

Quickservice (Stock items – available now)