



## TWINDOT S



SERIES > (</EN/PRODUCTS/CATALOGUE/SERIES/TWINDOT/>)

### RZB Product highlight - TWINDOT EN





**GERMAN  
DESIGN  
AWARD  
WINNER  
2019**

## Publications



### TWINDOT









- > German - TWINDOT ([/fileadmin/assets/publications/pub\\_pdf/KATP243\\_TWINDOT.pdf](/fileadmin/assets/publications/pub_pdf/KATP243_TWINDOT.pdf))
- > English - TWINDOT ([/fileadmin/assets/publications/pub\\_pdf/KATP243EN\\_TWINDOT.pdf](/fileadmin/assets/publications/pub_pdf/KATP243EN_TWINDOT.pdf))
- > Dutch - TWINDOT ([/fileadmin/assets/publications/pub\\_pdf/KATP243NL\\_TWINDOT.pdf](/fileadmin/assets/publications/pub_pdf/KATP243NL_TWINDOT.pdf))
- > Spanish - TWINDOT ([/fileadmin/assets/publications/pub\\_pdf/KATP243ES\\_TWINDOT.pdf](/fileadmin/assets/publications/pub_pdf/KATP243ES_TWINDOT.pdf))
- > French - TWINDOT ([/fileadmin/assets/publications/pub\\_pdf/KATP243FR\\_TWINDOT.pdf](/fileadmin/assets/publications/pub_pdf/KATP243FR_TWINDOT.pdf))
- > Italian - TWINDOT ([/fileadmin/assets/publications/pub\\_pdf/KATP243IT\\_TWINDOT.pdf](/fileadmin/assets/publications/pub_pdf/KATP243IT_TWINDOT.pdf))

Extremely flat and frameless appearance. Middle bar made of aluminium extrusion profile, powder-coated. Transparent light guide made of UV-resistant acrylic glass (PMMA). TWINDOT technology light control, light emission direct 55% / indirect 45%. UGR ≤ 19 (screen-compliant according to EN-12464-1). Converter integrated

in the canopy (powder coated white). Power supply through suspension cable. 4-point steel cable suspension, steplessly adjustable.

Versions with smart+free Bluetooth® control for wireless network and operation using Android / iOS devices, free app available for download.

## ▼ FILTER ARTICLES

	◆ Order Number	◆ Lamp	◆ Light colour	◆ System power	◆ Rated luminous flux	◆ UGI
 (/en/products/catalogue/312353.002.76/)	312353.002.76	LED	830	41 W	4,500 lm	17.4
 (/en/products/catalogue/312353.002.730/)	312353.002.730	LED	830	41 W	4,500 lm	17.4
 (/en/products/catalogue/312353.002.2.76/)	312353.002.2.76	LED	827 - 865	27 W	3,150 lm	16.4
 (/en/products/catalogue/312353.002.2.730/)	312353.002.2.730	LED	827 - 865	27 W	3,150 lm	16.4
 (/en/products/catalogue/312353.002.1.76/)	312353.002.1.76	LED	840	39 W	4,500 lm	17.4
 (/en/products/catalogue/312353.002.1.730/)	312353.002.1.730	LED	840	39 W	4,500 lm	17.4
 (/en/products/catalogue/312353.002.1/)	312353.002.1	LED	840	39 W	4,500 lm	17.4
 (/en/products/catalogue/312353.002/)	312353.002	LED	830	41 W	4,500 lm	17.4

Quickservice (Stock items – available now)

