



TWINDOT S



SERIES > (</EN/PRODUCTS/CATALOGUE/SERIES/TWINDOT/>)

RZB Product highlight - TWINDOT EN





**GERMAN
DESIGN
AWARD
WINNER
2019**

Publications



TWINDOT









- > German - TWINDOT (/fileadmin/assets/publications/pub_pdf/KATP243_TWINDOT.pdf)
- > English - TWINDOT (/fileadmin/assets/publications/pub_pdf/KATP243EN_TWINDOT.pdf)
- > Dutch - TWINDOT (/fileadmin/assets/publications/pub_pdf/KATP243NL_TWINDOT.pdf)
- > Spanish - TWINDOT (/fileadmin/assets/publications/pub_pdf/KATP243ES_TWINDOT.pdf)
- > French - TWINDOT (/fileadmin/assets/publications/pub_pdf/KATP243FR_TWINDOT.pdf)
- > Italian - TWINDOT (/fileadmin/assets/publications/pub_pdf/KATP243IT_TWINDOT.pdf)





Extremely flat and frameless appearance. Middle bar made of aluminium extrusion profile, powder-coated. Transparent light guide made of UV-resistant acrylic glass (PMMA). TWINDOT technology light control, light emission direct 55% / indirect 45%. UGR ≤ 19 (screen-compliant according to EN-12464-1). Converter integrated

in the canopy (powder coated white). Power supply through suspension cable. 4-point steel cable suspension, steplessly adjustable.

Versions with smart+free Bluetooth® control for wireless network and operation using Android / iOS devices, free app available for download.

▼ FILTER ARTICLES

	◆ Order Number	◆ Lamp	◆ Light colour	◆ System power	◆ Rated luminous flux	◆ UGI
 (/en/products/catalogue/312265.002.76/)	312265.002.76	LED	830	65 W	8,100 lm	17.6
 (/en/products/catalogue/312265.002.730/)	312265.002.730	LED	830	65 W	8,100 lm	17.6
 (/en/products/catalogue/312265.002.1.76/)	312265.002.1.76	LED	840	62 W	8,100 lm	17.6
 (/en/products/catalogue/312265.002.1.730/)	312265.002.1.730	LED	840	62 W	8,100 lm	17.6
 (/en/products/catalogue/312265.002.1/)	312265.002.1	LED	840	62 W	8,100 lm	17.6
 (/en/products/catalogue/312265.002/)	312265.002	LED	830	65 W	8,100 lm	17.6
 (/en/products/catalogue/312263.002.76/)	312263.002.76	LED	830	57 W	6,500 lm	17.5
 (/en/products/catalogue/312263.002.730/)	312263.002.730	LED	830	57 W	6,500 lm	17.5

	↕ Order Number	↕ Lamp	↕ Light colour	↕ System power	↕ Rated luminous flux	↕ UGI
 (/en/products/catalogue/312263.002.1.76/)	312263.002.1.76	LED	840	54 W	6,500 lm	17.5
 (/en/products/catalogue/312263.002.1.730/)	312263.002.1.730	LED	840	54 W	6,500 lm	17.5
 (/en/products/catalogue/312263.002.1/)	312263.002.1	LED	840	54 W	6,500 lm	17.5
 (/en/products/catalogue/312263.002/)	312263.002	LED	830	57 W	6,500 lm	17.5

Quickservice (Stock items – available now)